

1/4" = 6.35mm Drive

FOR USE WITH: AEG, ARO, ATLAS-COPCO, BIAx, B&D, BOSCH, BUCKEYE-TOOLS, CHICAGO PNEUMATIC, CLECO, DELVO (DENSEI), DEPRAG, DESOUTTER, FIAM, FUJI-KUKI, GARDNER-DENVER, HIOS (FERRA TOOLS) HITACHI, INGERSOLL, KELLER, MAKITA, MALL, MATSUSHITA, METABO, NPK, PNEUTEC, PREMAG, ROCKWELL, ROTOR-TOOL, SKIL, STANLEY, STAR, STAYER, THOR, TONICHI, URYU, VAN-DORN, VIRAX, WOLF, YOKOTA, YUTANI



Part #	Model #	Tip	Shaft Dia. (mm)	OAL (mm)
446125	B35	00	1.2	40
446126	B35	00	1.2	60
446127	B35	00	1.5	40
446128	B35	00	1.5	60
446129	B35	00	1.7	40
446130	B35	00	1.7	60
446131	B35	00	2	40
446132	B35	00	2	60
446133	B35	00	2	80
446134	B35	00	2	60
446135	B35	00	2	80
446136	B35	00	2	60
446137	B35	00	2	80
446138	B35	00	2	100
446139	B35	00	2	60
446140	B35	00	2	80
446141	B35	00	2	100
446142	B35	0	1.4	40
446143	B35	0	1.4	60
446144	B35	0	1.4	80
446145	B35	0	1.4	60
446146	B35	0	1.4	80
446147	B35	0	1.4	100
446148	B35	0	1.7	40
446149	B35	0	1.7	60
446150	B35	0	1.7	60
446151	B35	0	1.7	80
446152	B35	0	2	40
446153	B35	0	2	60
446154	B35	0	2	80
446155	B35	0	2	100
446156	B35	0	2	80
446157	B35	0	2	100
446158	B35	0	2.5	40
446159	B35	0	2.5	60
446160	B35	0	2.5	80
446161	B35	0	2.5	100
446162	B35	0	2.5	80
446163	B35	0	2.5	100
446164	B35	0	3	40
446165	B35	0	3	60
446166	B35	0	3	80
446167	B35	0	3	100

Part #	Model #	Tip	Shaft Dia. (mm)	OAL (mm)
446168	B35	0	3	80
446169	B35	0	3	100
446170	B35	0	4	40
446171	B35	0	4	60
446172	B35	1	2.2	40
446173	B35	1	2.2	60
446174	B35	1	2.3	75
446175	B35	1	2.5	40
446176	B35	1	2.5	60
446177	B35	1	2.5	60
446178	B35	1	2.5	80
446179	B35	1	2.5	100
446180	B35	1	3	40
446181	B35	1	3	60
446182	B35	1	3	80
446183	B35	1	3	100
446184	B35	1	3	60
446185	B35	1	3	80
446186	B35	1	3	100
446187	B35	1	3.2	75
446188	B35	1	4	40
446189	B35	1	4	60
446190	B35	1	4	80
446191	B35	1	4	100
424035	B35	1	7	75
446192	B35	1	4	120
446193	B35	2	3	40
446194	B35	2	3	60
446195	B35	2	3	80
446196	B35	2	3	60
446197	B35	2	3.2	70
446198	B35	2	3	80
446199	B35	2	3	100
446200	B35	2	3	120
446201	B35	2	3.2	75
446202	B35	2	4	40
446203	B35	2	4	60
446204	B35	2	4	80
446205	B35	2	4	100
446206	B35	2	4	120
424049	B35	2	7	150
446207	B35	2	7	200



Part #	Model #	Tip Size	Shaft Dia. (in)	OAL (mm)
446423	10600	00	2/32"	49
487195	1060	0	1/8"	49
487200	1061	1	3/16"	49
446424	1062R	2	3/16"	49
487205	1062	2	1/4"	49
487201	1071	1	3/16"	70
487206	1072	2	1/4"	70
487202	1081	1	3/16"	89
487207	1082	2	1/4"	89
446425	41071	1	3/16"	75
446426	42071	2	3/16"	75
446427	41081	1	3/16"	100



Part #	Model #	A/F (mm)	Shaft Dia. (in)	OAL (mm)
489301	1304/50	4	8	50
489302	1345/50	4.5	8	50
489303	1305/50	5	8.5	50
489304	1355/50	5.5	9	50
489305	1306/50	6	10	50
489306	1307/50	7	13	50
489307	1308/50	8	13	50
489308	1309/50	9	14	50
489309	1310/50	10	16	50
489310	1311/50	11	17	50
489311	1312/50	12	19	50
489312	1313/50	13	19	50
489313	1314/50	14	20	50
446601	1317/55	17		55

* Other lengths available up to 150 mm.




Extra Long Bits

Part #	Model #	Tip Size	Shaft Dia. (mm)	OAL (mm)
489672	4301/150	1	4.5	150
489673	4302/150	2	6	150
446437	4303/150	3	8	150
446438	4301/200	1	4.5	200
446439	4302/200	2	6	200
446440	4303/200	3	8	150

FOR USE WITH:

AEG, ARO, ATLAS-COPCO, BIAx, B&D, BOSCH, BUCKEY-TOOLS, CHICAGO PNEUMATIC, CLECO, DELVO (DENSEI), DEPRAG, DESOUTTER, FIAM, FUJI-KUKI, GARDNER-DENVER, HIOS (FERRA TOOLS) HITACHI, INGERSOLL, KELLER, MAKITA, MALL, MATSUSHITA, METABO, NPK, PNEUTEC, PREMAG, ROCKWELL, ROTOR-TOOL, SKIL, STANLEY, STAR, STAYER, THOR, TONICHI, URYU, VAN-DORN, VIRAX, WOLF, YOKOTA, YUTANI



1/4" = 6.35mm Drive



Part #	Model #	Tip Size	Shaft Dia. (mm)	OAL (mm)
21202	-	2	3	49
487280	21225	2.5	3.5	49
487281	21203	3	3.5	49
487282	21204	4	4.6	49
487283	21205	5	5.8	49
487284	21206	6		49
489291	1332/70	2	7	70
489292	1333/70	3	7	70
489293	1334/70	4	7	70
489294	1335/70	5	7	70
489295	1336/70	6	7	70
489496	1337/70	7	10	70
489297	1338/70	8	11	70
489298	1339/70	9	11	70
489299	1334/70	10	12	70
424080	B35	2	7	75
424082	B35	2.5	7	75
424084	B35	3	7	75
424086	B35	4	7	75
424088	B35	5	7	75
424090	B35	6	7	75
424081	B35	2	7	100
424083	B35	2.5	7	100
424085	B35	3	7	100
424087	B35	4	7	100
424089	B35	5	7	100
424091	B35	6	7	100



Part #	Model #	Width (mm)	Thick (mm)	OAL (mm)
489271	5303/51	3	0.5	51
489272	5335/51	3.5	0.55	51
489273	5304/51	4	0.6	51
489274	5345/51	4.5	0.7	51
489275	5305/51	5	0.75	51
489276	5355/51	5.5	0.8	51
489277	5306/51	6	0.85	51
449278	5365/51	6.5	0.85	51
489279	5307/51	7	0.9	51
489280	5308/51	8	1	51
489281	5309/51	9	1.15	51
489282	5310/51	10	1.2	51
489675	5303/75	3	0.5	75
489283	5304/75	4	0.6	75
489284	5305/75	5	0.75	75
489285	5306/75	6	0.85	75
489676	5306/125	6	0.85	125
489677	5365/75	6.5	0.85	75
489286	5307/75	7	0.9	75



Part #	Model #	Tip Size	Shaft Dia. (mm)	OAL (mm)
446488	T10607	7	N/A	49
446489	T10608	8	N/A	49
446490	T10609	9	N/A	49
446491	T10610	10	N/A	49
446492	T10615	15	N/A	49
446493	T10620	20	N/A	49
446494	T10625	25	N/A	49
446495	T10627	27	N/A	49
446496	T10630	30	N/A	49
446497	T10640	40	N/A	49
446499	T10707	7	N/A	70
446500	T10708	8	N/A	70
446501	T10709	9	N/A	70
446502	T10710	10	N/A	70
466503	T10715	15	N/A	70
466504	T10720	20	N/A	70
466505	T10725	25	N/A	70
466506	T10727	27	N/A	70
466507	T10730	30	N/A	70
466508	T10740	40	N/A	70
446509	T10807	7	N/A	90
446510	T10808	8	N/A	90
466511	T10809	9	N/A	90
466512	T10810	10	N/A	90
466513	T10815	15	N/A	90
466514	T10820	20	N/A	90
466515	T10825	25	N/A	90
466516	T10827	27	N/A	90
466517	T10830	30	N/A	90
446518	T10840	40	N/A	90

NOTE: Tamper Proof Models Available



Part No.	Model #	Tip	OAL (mm)
487300	3031	1	49
487305	3032	2	49
487310	3033	3	49
487301	3041	1	70
487306	3042	2	70
487311	3043	3	70
487302	3051	1	90
487307	3052	2	90
487312	3053	3	90
487303	3061	1	152
487308	3062	2	152
487313	3063	3	152



Part #	Model #	Tip Size	Shaft Dia. (mm)	OAL (mm)
635300	JT	6	4	75
635305	JT	8	4.5	75
635310	JT	10	4.5	75
635315	JT	15	4.5	75
635320	JT	20	5	75
635325	JT	25	5	75
635330	JT	27	5.5	75
635335	JT	30	6	75
635340	JT	40	7	75
635345	JT	45	8	75
635301	JT	6	4	100
635306	JT	8	4.5	100
635311	JT	10	4.5	100
635316	JT	15	4.5	100
635321	JT	20	5	100
635326	JT	25	5	100
635331	JT	27	5.5	100
635336	JT	30	6	100
635341	JT	40	7	100
635346	JT	45	8	100



Part No.	Model #	Tip	Shaft Dia. (mm)	OAL (mm)
487270	2021	7/64	-	49
487271	2022	1/8	-	49
487272	2023	9/64	-	49
487273	2024	5/32	-	49
487274	2025	3/16	-	49
487275	2026	7/32	-	49
487276	2027	1/4	-	49

Industrial Bits




FOR USE WITH: VESSEL, HITACHI, MAKITA, MATSUSHITA, MAX, NPK, RYOBI, TONICHI, TOSHIBA, YOKOTA, YUTANI



Part No.	Model #	Tip	Shaft Dia. (mm)	OAL (mm)
481090	A16	2	-	65
481091	A16	2.5	-	65
481092	A16	3	-	65
481093	A16	4	-	65
481094	A16	5	-	65
481096	A16	6	-	65



Part #	Model #	Width (mm)	Thick (mm)	OAL (mm)
415071	A16	6	0.8	45
415072	A16	6	0.8	70
415171	A16	8	1	45
415172	A16	8	1	70
415271	A16	10	1.2	45
415272	A16	10	1.2	70



1/4" = 6.35mm Drive



Part #	Model #	Tip Size	OAL (mm)
413029	A14	1	45
413031	A14	1	65
413032	A14	1	65
413231	A14	1	110
413039	A14	2	45
413041	A14	2	45
413040	A14	2	45
413047	A14	2	65
413042	A14	2	65
413043	A14	2	65
413045	A14	2	65
413241	A14	2	110
413242	A14	2	110
413243	A14	2	110
413245	A14	2	150
413247	A14	2	150
413249	A14	2	200
413255	A14	2	300
413051	A14	3	45
413052	A14	3	65
413252	A14	3	110
413251	A14	3	110



Part No.	Model #	Tip	Shaft Dia. (mm)	OAL (mm)
635120	VT	10	4.5	65
635125	VT	15	4.5	65
635130	VT	20	5	65
635135	VT	25	5	65
635140	VT	27	5.5	65
635145	VT	30	6	65
635150	VT	40	7	65
635121	VT	10	4.5	110
635126	VT	15	4.5	110
635131	VT	20	5	110
635136	VT	25	5	110
635141	VT	27	5.5	110
635146	VT	30	6	110
635151	VT	40	7	110



Part #	Model #	A/F (mm)	Shaft Dia. (in)	OAL (mm)
416080	A20	4.5	7.5	55
416081	A20	5	8.5	55
416082	A20	5.5	10	55
416083	A20	6	10	55
416084	A20	7	13	55
416181	A20	8	13	55
416182	A20	9	16	55
416188	A20	9.6	16	55
416183	A20	10	16	55
416184	A20	11	16	55
416185	A20	12	19	55
416186	A20	13	19	55
416187	A20	14	20	55
416189	A20	15	22	55
416190	A20	17	23	55


* Other lengths available up to 100 mm.

FOR USE WITH: DELVO (DENSEI), HIOS (FERRA TOOLS), HITACHI, MATSUSHITA, URYU, YOKOTA



Part No.	Model #	Tip	Shaft Dia. (mm)	OAL (mm)
422036	B34	1	6	70
422031	B34	1	6	72
422037	B34	1	6	100
422032	B34	1	6	100
422038	B34	1	6	150
422033	B34	1	6	150
422051	B34	2	6	70
422041	B34	2	6	70
422052	B34	2	6	100
422042	B34	2	6	100
422053	B34	2	6	120
422045	B34	2	6	120
422067	B34	2	6	125
422068	B34	2	6	125
422054	B34	2	6	150

Part No.	Model #	Tip	Shaft Dia. (mm)	OAL (mm)
422043	B34	2	6	150
422055	B34	2	6	200
422044	B34	2	6	200
422039	B34	1	5.3	105
422034	B34	1	5.3	105
422040	B34	1	5.3	120
422035	B34	1	5.3	120
422061	B34	1	5.3	125
422062	B34	1	5.3	125
422058	B34	2	5.3	105
422046	B34	2	5.3	105
422059	B34	2	5.3	120
422047	B34	2	5.3	120
422064	B34	2	5.3	125
422065	B34	2	5.3	125



5mm Drive



Part #	Model #	Tip Size	OAL (mm)
423035	B36	1	70
423031	B36	1	70
423036	B36	1	100
423032	B36	1	100
423045	B36	2	70
423041	B36	2	70
423046	B36	2	100
423042	B36	2	100
423047	B36	2	100
423043	B36	2	100



JDV Products, Inc • 22-01 Raphael Street • Fair Lawn, NJ 07410 USA
201-796-1720 • Fax 201-796-9399 • www.jdvproducts.com