



VESSEL®

HAND TOOLS COLLECTION



The EXCLUSIVE North American Distributor for VESSEL Co.



Ergonomically designed "Ball-Grip" handles fit comfortably in the palm of your hand while ensuring the operator maximum torque while tightening.

220 Series - Standard Type



- Transmits ample tightening force to screw
- Cushion grip color-coded by +/-
- Fully hardened chrome vanadium steel
- High precision black point tip
- Magnetic Tip

Part No.	EDP No.	mm					
		Tip Dia	Tip Dia	Shank Dia	Shank Dia	Shank Dia	Shank Dia
220 5.5*75	125351	5.5	0.8	75	5.5	32	156.5
220 5.5*100	125361	5.5	0.8	100	5.5	32	181.5
220 5.5*150	125362	5.5	0.8	150	5.5	32	231.5
220 6*100	125352	6.0	0.9	100	6.4	41	200
220 6*150	125353	6.0	0.9	150	6.4	41	250
220 6*200	125354	6.0	0.9	200	6.4	41	300
220 P1*75	125355	+ No.1		75	5.5	32	156.5
220 P1*100	125371	+ No.1		100	5.5	32	181.5
220 P1*150	125372	+ No.1		150	5.5	32	231.5
220 P2*100	125356	+ No.2		100	6.4	41	200
220 P2*150	125357	+ No.2		150	6.4	41	250
220 P2*200	125358	+ No.2		200	6.4	41	300

220JF Series - JAWSFIT Type



- Prevents "cam-out" when tightening screws
- Magnetic Tip

Part No.	EDP No.	mm			
		Tip Dia	Shank Dia	Shank Dia	Shank Dia
220JF P2*100	125514	+ No.2	100	41	200
220JF P2*150	125515	+ No.2	150	41	250

225 Series - Insulated Type



- Shank is covered with resin for excellent safety
- Solid built body offers extra fastening power
- Cushion grip color-coded by +/-
- Fully hardened chrome vanadium steel
- Magnetic Tip

Part No.	EDP No.	mm					
		Tip Dia	Tip Dia	Shank Dia	Shank Dia	Shank Dia	Shank Dia
225 6*100	125382	6.0	0.9	100	41	200	
225 6*150	125383	6.0	0.9	150	41	250	
225 P2*100	125389	+ No.2		100	41	200	
225 P2*150	125390	+ No.2		150	41	250	

230 Series - Tang-Thru Type



- Tang-Thru shank with star end cap
- Solid built body offers extra fastening power
- Cushion grip color-coded by +/-
- Fully hardened chrome vanadium steel
- Magnetic Tip

Part No.	EDP No.	mm					
		Tip Dia	Tip Dia	Shank Dia	Shank Dia	Shank Dia	Shank Dia
230 5.5*75	125311	5.5	0.8	75	5.5	32	156.5
230 6*100	125314	5.5	0.8	100	6.4	41	200
230 6*150	125315	5.5	0.8	150	6.4	41	250
230 P1*75	125321	+ No.1		75	5.5	32	156.5
230 P2*100	125324	+ No.2		100	6.4	41	200
230 P2*150	125325	+ No.2		150	6.4	41	250

The MEGADORA models are equipped with the most advanced triple-molded handle for comfort. The corners of the hexagonal cross-section are molded with elastomer for a soft fit and high torque transmission.




900 Series - Standard & 920 Series - Stubby



- Features a JAWSFIT tip and knurled shank for gripping
- Fully hardened chrome vanadium steel

Part No.	EDP #	mm					
		Tip Dia	Tip Length	Shank Dia	Shank Length	Handle Length	Total Length
900 5.5*75	125701	5.5	0.8	75	5.5	34	185
900 6*100	125702	6.0	0.9	100	6.4	34	210
900 6*150	125755	6.0	0.9	150	6.4	34	260
900 8*150	125704	8.0	1.1	150	8.0	36	275
900P1*75	125705	+ No. 1		75	5.5	34	185
900 P2*100	125706	+ No. 2		100	6.4	34	210
900 P2*150	125707	+ No. 2		150	6.4	34	260
900 P3*150	125708	+ No. 3		150	8.0	36	275
920 6*25	125752	6.4	0.9	25	6.4	36	75
920 P1*25	125753	+ No. 1		25	6.4	36	75
920 P2*25	125754	+ No. 2		25	6.4	36	75

910 Series - Thin Shank



- Precision screwdriver with 4mm or smaller shank dia.
- Fully hardened chrome vanadium steel

Part No.	EDP #	mm					
		Tip Dia	Tip Length	Shank Dia	Shank Length	Handle Length	Total Length
910 3x75	125	3	0.4	75	3.0	21	153
910 3x100	125	3	0.4	100	3.0	21	178
910 4x75	125748	4	0.5	75	4.0	21	153
910 4x100	125	4	0.5	100	4.0	21	178
910 P00x75	125	+ No. 00		75	3.0	21	153
910 P0x75	125742	+ No. 0		75	3.0	21	153
910 P0x100	125743	+ No. 0		100	3.0	21	178
910 P1x75	125744	+ No. 1		75	4.0	21	153
910 P1x100	125745	+ No. 1		100	4.0	21	178


930 Series - Tang-Thru Handle



- Tang-Thru shank with large end cap
- Fully hardened chrome vanadium steel

Part No.	EDP #	mm					
		Tip Dia	Tip Length	Shank Dia	Shank Length	Handle Length	Total Length
930 5.5x75	125711	5.5	0.8	75	5.5	34	188
930 6x38	125719	6.0	0.9	38	6.4	34	151
930 6x100	125712	6.0	0.9	100	6.4	34	213
930 6x150	125713	6.0	0.9	150	6.4	34	263
930 8x150	125714	8.0	1.1	150	8.0	36	278
930 P1x75	125715	+ No. 1		75	5.5	34	176
930 P2x38	125720	+ No. 2		38	6.4	34	151
930 P2x100	125716	+ No. 2		100	6.4	34	213
930 P2x150	125717	+ No. 2		150	6.4	34	263
930 P3x150	125718	+ No. 3		150	8.0	36	278

900 Series - Extra Long



- Useful for headlight and hose clamp adjustments
- Fully hardened chrome vanadium steel

Part No.	EDP #	mm					
		Tip Dia	Tip Length	Shank Dia	Shank Length	Handle Length	Total Length
900 6x400	125709	6	0.9	400	6.4	34	510
900 P2x400	125710	+ No. 2		400	6.4	34	510

970 Series - Chisel Screwdrivers



- Tang-Thru shank made of high grade chisel steel
- Great for concrete bricks, ceramic tiles, deburring, corrosion scraping, frozen bolts and nuts, and spot welding stripping

Part No.	EDP #	mm					
		Tip Dia	Tip Length	Shank Dia	Shank Length	Handle Length	Total Length
970 7*100	125722	5.5	0.8	75	5.5	34	185
970 9.5*120	125732	6.0	0.9	100	6.4	34	210

9900 Series Micro Screwdrivers



- Handle is fitted with revolving cap for fast turning
- Fully hardened chrome vanadium steel

Part No.	EDP No.	mm					
		Tip 1	Tip 2	Shaft	Tip 3	Tip 4	Tip 5
9900 1.8*50	125621	1.8	0.25	50	2.5	10	145
9900 2.5*75	125622	2.5	0.35	75	2.5	10	170
9900 3*100	125623	3	0.45	100	3	10	195
9900 3*150	125624	3	0.45	150	3	10	245
9900 P00*75	125625	+ No. 00		75	2.5	10	170
9900 P0*100	125626	+ No. 0		100	3	10	195
9900 P0*150	125627	+ No. 0		150	3	10	245

9900 Series Micro Screwdriver Sets



- For adjustment and repair of precision equipment, electronics, glasses, watches, etc.
- Set of frequently used sizes

Part No.	EDP No.	Set Includes (mm)
9902	125610	+00x75 / +0x100 / -1.8x50
9903	126611	+00x75 / -2.5x75 / -3x100

610 Series Cushion Grip Micro Screwdrivers



- Comfortable cushion grip handle
- Fully hardened chrome vanadium steel

Part No.	EDP No.	mm					
		Tip 1	Tip 2	Shaft	Tip 3	Tip 4	Tip 5
610 4x75	125332	4.0	0.5	75	4.0	20.5	162
610 4x100	125333	4.0	0.5	100	4.0	20.5	187
610 4x150	125335	4.0	0.5	150	4.0	20.5	237
610 P00x75	125337	+ No. 00		75	4.0	20.5	162
610 P00x100	125338	+ No. 00		100	4.0	20.5	187
610 P0x75	125339	+ No. 0		75	4.0	20.5	162
610 P0x100	125340	+ No. 0		100	4.0	20.5	187
610 P1x75	125341	+ No. 1		75	4.0	20.5	162
610 P1x100	125342	+ No. 1		100	4.0	20.5	187
610 P1x150	125343	+ No. 1		150	4.0	20.5	237

NEW!

81L LED Current Detector



The NEW Model 81L is great for electricity testing of lighting, wiring, repair work on TV and radio, and oscillation test of wireless equipment. The bright, easy to view LED will illuminate when voltage is detected.

Part No.	EDP No.	Range of Voltage Detection
81L	125104	A.C. 100V~240V
		D.C. 100V~350V

TD36 Microturn Screwdriver Set



- Ideal for screw tightening in precision fields
- Designed for both turning and tightening
- High strength precision tip



Part No.	EDP No.	Set Includes (mm)
TD-36	250036	-1.4 / -1.8 / -2.3 / +00 / +0 / +1

205 Series Precision Screwdriver Sets




- Ideal for fastening and unfastening miniature screws.
- Metal handle can be freely turned from the butt end, therefore finger pressure is sufficient for maintaining the position while turning
- For repair and assembly of watches, cassettes, radios, glasses, precision equipment, plastic models, and much more.

Part No.	EDP No.	Set Includes (mm)
206	134001	-0.9 / 1.2 / 1.8 / 2.3 / 3.0 / 3.5
207	134011	-0.9 / 1.21 / 1.8 / 2.3 / +00 / +0



The "Power-Grip" series are high precision tools ergonomically designed to the shape of the palm of your hand. Various grip sizes available according to tightening torque.

5400 Series Ultra Ball Hex Screwdrivers



Tapered to 35°, the ball tip is always at the center of rotation, ensuring smooth turning.

Part No.	EDP #	mm				
		Tip Dia	Length	Tip Dia	Length	Tip Dia
5400 H1.5*80	122847	1.5	80	2.5	155	17
5400 H2*80	122848	2.0	80	3.0	155	17
5400H2.5*80	122849	2.5	80	3.0	155	17
5400 H3*120	122850	3.0	120	3.5	217	28
5400 H4*120	122851	4.0	120	5.0	224	31.8
5400 H5*120	122852	5.0	120	6.0	235	35.6
5400 H6*120	122853	6.0	120	7.0	235	35.6

4100 Series Nut Drivers



• Ideal for fastening and unfastening hexagon bolts and nuts

Part No.	EDP #	mm						
		Tip Dia	Tip Dia	Tip Dia	Length	Tip Dia	Length	Tip Dia
4100 5*115	123501	5.0	8	18	115	5.0	28.0	212
4100 5.5*115	123502	5.5	9	18	115	5.0	28.0	212
4100 6*115	123503	6.0	9	18	115	5.5	28.0	212
4100 7*125	123504	7.0	10	20	125	5.5	28.0	222
4100 8*125	123505	8.0	12	20	125	5.5	31.8	229
4100 9*125	123506	9.0	12	20	125	6.3	31.8	229
4100 10*125	123507	10.0	15	20	125	7.0	35.6	240
4100 11*125	123508	11.0	15	20	125	7.0	35.6	240
4100 12*150	123509	12.0	17	20	150	8.0	35.6	265
4100 13*150	123510	13.0	19	20	150	8.0	35.6	265

8506HX & 8509HX Hex Key Wrench Sets




Part No.	EDP #	Sizes Included (mm)
8506HX	144290	1.5 / 2 / 2.5 / 3 / 4 / 5
8509HX	144291	1.5 / 2 / 2.5 / 3 / 4 / 5 / 6 / 8 / 10

8606HX & 8609HX Hex Key Wrench Sets



Part No.	EDP #	Sizes Included (mm)
8606HX	144270	1.5 / 2 / 2.5 / 3 / 4 / 5
8609HX	144271	1.5 / 2 / 2.5 / 3 / 4 / 5 / 6 / 8 / 10

8506BP & 8509BP Ultra Ball Wrench Sets



Part No.	EDP #	Sizes Included (mm)
8506BP	144130	1.5 / 2 / 2.5 / 3 / 4 / 5
8509BP	144131	1.5 / 2 / 2.5 / 3 / 4 / 5 / 6 / 8 / 10

8606BP & 8609BP Ultra Ball Wrench Sets



Part No.	EDP #	Sizes Included (mm)
8606BP	144040	1.5 / 2 / 2.5 / 3 / 4 / 5
8609BP	144041	1.5 / 2 / 2.5 / 3 / 4 / 5 / 6 / 8 / 10

Heavy-Duty Knives



These high quality utility knives are designed to take the abuse that would destroy ordinary knives. Any Electrician, Telephone Technician, or person doing general cable prep work should have one. Perfect for cutting and stripping wire or cable, opening utility outlets in plywood and sheetrock, or any general cutting application. There are two different models available, and each one comes with a locking sheath and a ceramic sharpening stone.



VDK-1

Equipped with a special high-grade steel blade, the VDK-1 is the perfect item to add to your toolbox. This knife is ideal for electrical, service work, or for any general cutting application.



VDK-5

The VDK-5, with its high-grade steel blade and glow-in-the-dark handle, will greatly aid electricians since most electrical work is performed in dark locations. The fluorescent handle requires only 2-3 minutes of exposure to sunlight or lamplight to "charge". Now any user will know exactly where the knife is at all times, helping to prevent accidents from occurring.



Megadora Scraper



970 Series Scraper



- Ideal for removing cross/P tile, paint, stickers, and other scraping needs
- Made of high strength die-cast metal
- Easy lever-operated blade replacement
- Plated finish is resistant to paint and adhesives

Part No.	EDP No.				
		(mm)			
		A	B	C	D
970 S-180	252201	195	85	-	34
970 S-300	252202	313	185	15	36
970 ST-300	252203	315	185	15	36

Replacement Blade: MSB-01 (100mm long)



JDV Products, Inc • 22-01 Raphael Street • Fair Lawn, NJ 07410 USA
201-796-1720 • Fax 201-796-9399 • www.vesseltools.com

100/KIT Wood Handle Screwdriver Set



- Round handle for more gripping power
- Tang-Thru design:
One piece shank and handle cap prevents damage to the screwdriver when striking with a hammer

Part No.	EDP No.	mm					
		Tip Width	Tip Height	Shank Dia	Shank Length	Total Length	Tip Length
610 4x75	125332	4.0	0.5	75	4.0	20.5	162.0
100 5.5x75	111051	5.5	0.8	75	5.8	32.0	156.5
100 6x100	111052	6.0	0.9	100	6.4	41.0	200.0
610 P0x75	125339	+ No. 0	75	4.0	20.5	162.0	
100 P1x75	111054	+ No. 1	75	5.8	32.0	156.5	
100 P2x100	111055	+ No. 2	100	6.4	41.0	200.0	

TD210 Series Tri-Point Screwdrivers



Part No.	EDP No.	Description
TD-210	251210	+1 / +2 / +3
TD-220	215220	H2 / H2.5 / H3 / H4 / H5 / H6
TD-230	251230	T10 / T15 / T20 / T25 / T30 / T40
TD-210/SET-3	N/A	INCLUDES: TD-210 / TD-220
TD-210/SET	N/A	INCLUDES: TD-210 / TD-220 / TD-230

620 Stubby

- For tightening in cramped spaces
- Comfortable cushion grip
- Fully hardened chrome vanadium shank



Part No.	EDP No.	mm					
		Tip Width	Tip Height	Shank Dia	Shank Length	Total Length	Tip Length
620 6x15	125425	6.0	0.9	15	6.0	35	68
620 P1x15	125426	+ No. 1	15	6.0	35	68	
620 P2x15	125427	+ No. 2	15	6.0	35	68	
620/SET		3pc Screwdriver Set					

220/KIT Ball Grip Screwdriver Set



• See page 2

Part No.	EDP No.	mm					
		Tip Width	Tip Height	Shank Dia	Shank Length	Total Length	Tip Length
610 4x75	125332	4.0	0.5	75	4.0	20.5	162.0
220 5.5x75	125351	5.5	0.8	75	5.5	32.0	156.5
220 6x100	125352	6.0	0.9	100	6.5	41.0	200.0
610 P0x75	125339	+ No. 0	75	4.0	20.5	162.0	
220 P1x75	125355	+ No. 1	75	5.5	32.0	156.5	
220 P2x100	125356	+ No. 2	100	6.4	41.0	200.0	

5400BP Hex Tip Screwdriver Set



Part No.	EDP No.	mm				
		Tip Width	Tip Height	Shank Dia	Shank Length	Total Length
5400 H1.5x80	122847	1.5	80	2.5	17.0	155
5400 H2x80	122848	2.0	80	3.0	17.0	155
5400 H2.5x80	122849	2.5	80	3.0	17.0	155
5400 H3x120	122850	3.0	120	3.5	28.0	217
5400 H4x120	122851	4.0	120	5.0	31.8	224
5400 H5x120	122852	5.0	120	6.0	35.6	235
5400 H6*120	122853	6.0	120	7.0	35.6	235

TD800 9pc Screwdriver Set

- 8pc Screwdriver Set with Interchangeable handle
- Sixes Included:
 - +0 / +1 / +2
 - -2.5 / -4 / -6
 - Awl
 - Pin Puller




2500 Impact Driver



Impact Screwdrivers are the perfect solution for fastening and unfastening stubborn screws. To ensure the tightest fit you only have to strike the Impact Driver to multiply the amount of tightening torque for most screw sizes. Impact Screwdrivers are also great for loosening fasteners with stripped screw heads and stubborn rusted screws.

- Bits included: -8x36 / -10x36 / +2x36 / +3x36
- Effective for tight fastening and loosening of rusted screws
- Suited for automobile servicing, and assembly / disassembly of machinery and equipment
- For heavy-duty use
- By removing the adapter unit, a 12.7mm socket can be attached

970 Series Clip Removers



- Dual size blade covers standard 7mm and 12mm clip sizes
- Suited for many clips used in automobiles
- Fully hardened vanadium steel
- Chrome plated fork to enable damage-free sliding
- Optimally angled for working in cramped places
- Long type for reaching clips deep inside car interiors

Part No.	EDP #	A, B	mm			
970 CR-300	125731	12/7	300	7.0	34	352
970 CR-120	125721	12/7	120	7.0	34	230

JDV JDV Products, Inc.
22-01 Raphael Street
Fair Lawn, NJ 07410 USA

The **EXCLUSIVE** North American distributor of



Distributed By:

